UK Hydrological Outlook

UKCEH

Period: From November 2026

Issued on 10.11.2026 using data to the end of October 2026

SUMMARY: October rainfall was generally average or above average across the UK. Forecasts favour wetter-than-average conditions for November to January, increasing the chances of a recovery in river flows in many responsive catchments. In November, flows are expected to be normal to above normal across much of northern and western Britain. However, the effects of recent dry conditions are likely to persist in groundwater-fed catchments, with river flows and groundwater levels in southern and eastern England remaining below normal through the November to January period.

Rainfall:

October rainfall was average or above average across much of the UK. Parts of north-west Scotland and north-west England received more than 150% of average October rainfall, while parts of eastern Scotland and the Welsh Borders were drier than average. The forecast (issued by the Met Office on 26.10.2026) indicates an increased likelihood of above-average rainfall during November. For November to January, there is around twice the normal likelihood of wet conditions, although overall near-average or dry conditions still remain more likely. Since the forecast was issued, there has been an early Sudden Stratospheric Warming event, which could act to temper the chances of a wet early winter.


River flows:

Low river flows persisted across much of England during October, although more sites were in the normal range than in previous months. Notably low flows continued in parts of East Anglia and the Thames catchment. Elsewhere, flows were generally in the normal range, although rivers in north-west Scotland and Northern Ireland were above normal. During November, flows are likely to be normal to above normal across Northern Ireland and northern and western Britain. In contrast, flows in south-east England are likely to remain normal to below normal. Elsewhere, flows are likely to remain within the normal range. Over November to January, flows are expected to increase in more responsive catchments, with flows across much of northern and western Britain likely to be normal to above normal. However, flows in slower-responding groundwater-fed catchments of south-eastern England are expected to remain below normal.

Groundwater:

Levels at the end of October remained low across much of England, particularly in the south and east. During November, levels are likely to remain normal to below normal across much of Great Britain, with notably low to exceptionally low levels persisting in parts of southern England and East Anglia. Over November to January, groundwater levels are generally expected to recover towards the normal range. Nevertheless, below-normal levels are likely to persist at some sites in southern and eastern England, particularly in East Anglia.

The UK Hydrological Outlook provides an outlook for the water situation for the United Kingdom over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net



UK HYDROLOGICAL OUTLOOK

November 2026

UKCEH · British Geological Survey · Department for Infrastructure An Roinn Bonneagair www.infrastructure-ni.gov.uk · Environment Agency · Met Office · Cyfoeth Naturiol Cymru Natural Resources Wales · sepa

UK Hydrological Outlook

UKCEH

About the UK Hydrological Outlook:

This document presents an outlook for the UK water situation for the next 1-3 months and beyond, using observational datasets, meteorological forecasts and a suite of hydrological modelling tools. The outlook is produced in a collaboration between the UK Centre for Ecology & Hydrology (UKCEH), British Geological Survey (BGS), the Met Office, the Environment Agency (EA), Natural Resources Wales (NRW), the Scottish Environment Protection Agency (SEPA), and for Northern Ireland, the Department for Infrastructure – Rivers (DfIR).

Data and Models:

The UK Hydrological Outlook depends on the active cooperation of many data suppliers. This cooperation is gratefully acknowledged. Historic river flow and groundwater data are sourced from the UK National River Flow Archive and the National Groundwater Level Archive. Contemporary data are provided by the EA, SEPA, NRW and DfIR. These data are used to initialise hydrological models, and to provide outlook information based on statistical analysis of historical analogues.

Climate forecasts are produced by the Met Office. Hydrological modelling is undertaken by UKCEH using the Grid-to-Grid and GR6J hydrological models. Hydrogeological modelling uses the AquiMod model run by BGS. Supporting documentation is available from the Outlooks website: https://hydoutuk.net/about/methods

Presentation:

The language used in the summary presented overleaf generally places flows and groundwater levels into just three classes, i.e. below normal, normal, and above normal. However, the underpinning methods use as many as seven classes as defined in the graphic to the right, i.e. the summary uses a simpler classification than some of the methods. On those occasions when it is appropriate to provide greater discrimination at the extremes the terminology and definitions of the seven class scheme will be adopted.

	Percentile range of historic values for relevant month
Exceptionally high flow	> 95
Notably high flow	87-95
Above normal	72-87
Normal range	28-72
Below normal	13-28
Notably low flow	5-13
Exceptionally low flow	< 5

Disclaimer and liability:

The UK Hydrological Outlook partnership aims to ensure that all Content provided is accurate and consistent with its current scientific understanding. However, the science which underlies hydrological and hydrogeological forecasts and climate projections is constantly evolving. Therefore any element of the Content which involves a forecast or a prediction should not be relied upon as though it were a statement of fact. To the fullest extent permitted by applicable law, the UK Hydrological Outlook Partnership excludes all warranties or representations (express or implied) in respect of the Content.

Your use of the Content is entirely at your own risk. We make no warranty, representation or guarantee that the Content is error free or fit for your intended use.

The UK Hydrological Outlook is supported by the Natural Environment Research Council funded NC-UK (NE/Y006208/1) and Hydro-JULES (NE/S017380/1) Programmes.

Copyright:

Some of the features displayed on the maps contained in this report are based on the following data with permission of the controller of HMSO.

i. Ordnance Survey data. © Crown copyright and/or database right 2005. Licence no. 100017897.
ii. Land and Property Services data. © Crown copyright and database right, S&LA 145.
iii. Met Office rainfall data. © Crown copyright.
iv. The three month outlook contained in the hydrological outlook is licensed under the terms of the Open Government Licence

All rights reserved. Unauthorised reproduction infringes crown copyright and may lead to prosecution or civil proceedings.

Further information:

For more detailed information about the UK Hydrological Outlook, and the derivation of the maps, plots and interpretation provided in this outlook, please visit the UK Hydrological Outlook website. The website features a host of other background information, including a wider range of sources of information which are used in the preparation of this Outlook. Dynamic access to many of the outputs of the UK Hydrological Portal are available on the UK Hydrological Outlooks Portal.

Contact:

UK Hydrological Outlooks, UK Centre for Ecology & Hydrology, Wallingford, Oxfordshire, OX10 8BB
t: 01491 838800 e: https://hydoutuk.net/contact

Reference for the UK Hydrological Outlook:

UK Hydrological Outlook, 10 November 2026, UK Centre for Ecology & Hydrology, Oxfordshire UK, Online, https://www.hydoutuk.net/latest-outlook/

Other Sources of Information:

The UK Hydrological Outlook should be used alongside other sources of up-to-date information on the current water resources status and flood risk.

Environment Agency Water Situation Reports: provides summary of water resources status on a monthly and weekly basis for England: https://www.gov.uk/government/collections/water-situation-reports-for-england

Flood warnings are continually updated, and should be consulted for an up-to-date and localised assessment of flood risk:

i. Environment Agency: https://flood-warning-information.service.gov.uk/map
ii. Natural Resources Wales: https://flood-warning.naturalresources.wales/
iii. Scottish Environment Protection Agency: https://www.sepa.org.uk/flooding.aspx

Hydrological Summary for the UK: provides summary of current water resources status for the UK: https://nrfa.ceh.ac.uk/monthly-hydrological-summary-uk

UK Met Office forecasts for the UK: https://www.metoffice.gov.uk/

UK Water Resources Portal: monitor the UK hydrological situation in near real-time including rainfall, river flow, groundwater and soil moisture from COSMOS-UK: https://eip.ceh.ac.uk/hydrology/water-resources/

UKCEH

British Geological Survey

Department for Infrastructure An Roinn Bonneagair www.infrastructure-ni.gov.uk

Environment Agency

Met Office

Cyfoeth Naturiol Cymru Natural Resources Wales

sepa

October's mean river flows simulated by the Grid-to-Grid hydrological model


CURRENT CONDITIONS

Issue date: 04.11.2026

This map shows the simulated monthly mean flow across Great Britain for last month, ranked in terms of 54 years of historical flow estimates (1963 – 2016).

These flows are produced by the 1km resolution Grid-to-Grid (G2G) hydrological model, which is run up to the end of each calendar month using observed rainfall and MORECS potential evaporation as input.

Note that the G2G model provides estimates of natural flows.



Flow estimate for each river pixel ranked in terms of historic % flow estimates (1963-2016)

Exceptionally high flow	> 95
Notably high flow	87-95
Above normal	72-87
Normal range	28-72
Below normal	13-28
Notably low flow	5-13
Exceptionally low flow	< 5

November 2026

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

Current Daily Simulated Subsurface Water Storage Conditions

Based on subsurface water storage estimated for 31 October 2026

Issue date: 04.11.2026

These maps are based on Grid-to-Grid (G2G) hydrological model simulated subsurface water storage (water in the soil and groundwater), expressed as an anomaly from the historical monthly mean. To highlight areas that are particularly wet or dry, the storage anomaly is presented relative to historical extremes. Rainfall in WET areas with high positive relative wetness could result in flooding in the coming days/weeks. Areas of negative relative wetness indicate locations which are particularly DRY, and little or no rain in these areas could potentially lead to (or prolong) a drought. Maps of soil moisture only are available on the next page.


SUMMARY: Subsurface water stores have increased across much of England, with shallower stores now normal for the time of year. However, many of the principal aquifers remain in deficit, with substantial additional water required for them to recover. In Scotland and Wales stores have slightly declined but remain normal to slightly wetter than usual for the time of year.


Relative wetness

Water storage anomaly as a % of maximum (positive wetness) or minimum (negative wetness) storage anomaly (zero indicates average value)


High (very wet)	>80
	60-80
Medium wetness	40-60
	20-40
Low wetness	0.01-20
Average conditions	-0.01-0.01
Low dryness	-20--0.01
	-40--20
Medium dryness	-60--40
	-80--60
High (very dry)	<-80
Major rivers	

Labels refer to estimated storage on final day of named month





June July August September



October 2025



October 2000*

*Example month displaying extreme positive wetness

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

Current Daily Simulated Soil Moisture Conditions

Based on soil moisture estimated for 31 October 2026

Issue date: 04.11.2026

These maps are based on Grid-to-Grid (G2G) hydrological model simulated soil moisture, expressed as an anomaly from the historical monthly mean. To highlight areas that are particularly wet or dry, the soil moisture anomaly is presented relative to historical extremes. These maps are not a forecast; rather an indication of current conditions. Soil moisture will often look similar to total storage (shown on the previous slide), since total storage comprises both soil moisture and storage in the saturated zone.


SUMMARY: Soil stores have increased across much of England, with shallower stores now normal for the time of year. However, many of the principal aquifers remain in deficit, with substantial additional water required for them to recover. In Scotland and Wales stores have slightly declined but remain normal to slightly wetter than usual for the time of year.


Relative wetness


Soil moisture anomaly as a % of maximum (positive wetness) or minimum (negative wetness) storage anomaly (zero indicates average value)

High (very wet)	>80
	60-80
Medium wetness	40-60
	20-40
Low wetness	0.01-20
Average conditions	-0.01-0.01
Low dryness	-20--0.01
	-40--20
Medium dryness	-60--40
	-80--60
High (very dry)	<-80
Major rivers	

Labels refer to estimated storage on final day of named month









*Example month displaying extreme positive wetness

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

Estimate of Additional Rainfall Required to Overcome Dry Conditions

Based on subsurface water storage estimated for 31 October 2026


Issue date: 04.11.2026


These maps show the Grid-to-Grid (G2G) hydrological model simulated subsurface water storage, expressed as an anomaly from the historical monthly mean (1981-2010), presented on a 1km grid and as regional means. Subsurface storage deficits, i.e. where the subsurface water storage anomaly is less than zero, are highlighted in red/pink.


The subsurface storage deficit (mm) can be interpreted as an estimate of additional rainfall that would be required in future months to overcome dry conditions (i.e. rainfall in addition to what is expected on average). Regional mean values of additional rainfall required are provided in the table below.

Regional estimate of additional rainfall required (mm)

	SCOTLAND	
0	HR	Highlands Region
1	NER	North East Region
3	TR	Tay Region
1	FR	Forth Region
0	CR	Clyde Region
0	TWR	Tweed Region
0	SR	Solway Region
	ENGLAND	
4	N	Northumbria
0	NW	North West
18	Y	Yorkshire
21	ST	Severn Trent
39	A	Anglian
62	T	Thames
35	W	Wessex
42	S	Southern
6	SW	South West
	WALES	
8	WEL	Welsh







Water storage deficit (anomaly; mm)

- >125
- 100-125
- 75-100
- 50-75
- 25-50
- 0-25
- <0

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

Return Period of Rainfall Required to Overcome Dry Conditions

Period: November 2026 - April 2027

Issue date: 04.11.2026

CURRENT CONDITIONS

These maps show the return period of the rainfall required to overcome dry conditions simulated using the Grid-to-Grid (G2G) hydrological model. The maps are coloured according to the return period of accumulated rainfall required to overcome the estimated current subsurface water storage deficit over the next one to six months (areas with no storage deficit will always be white). These maps do not provide a drought forecast; instead they indicate whether particularly heavy rainfall would be required to return to normal conditions for the time of year.

SUMMARY: Subsurface water stores in the principal aquifers in the southeast continue to be in deficit and will require unusually high rainfall (5-25-year return periods) to recover to average levels over the next month. The Thames region requires unusually high rainfall (5-10-year return period) to recover to average conditions even over the next six months.

Nov



Dec



Jan



Feb



Mar



Apr



SCOTLAND


HR Highlands Region
NER North East Region
TR Tay Region
FR Forth Region
CR Clyde Region
TWR Tweed Region
SR Solway Region

ENGLAND

N Northumbria
NW North West
Y Yorkshire
ST Severn Trent
A Anglian
T Thames
S Southern
W Wessex
SW South West

WALES

WEL Welsh



Rainfall amount (Probability)		Return period (years)
Low (Likely)	>20%	<5
	<20%	5-10
	<10%	10-25
	< 4%	25-50
High (Less likely)	< 2%	50-100
	< 1%	100-200
Extreme (Unlikely)	<0.5%	>200

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

November 2026


Outlook based on hydrological persistence and analogy

Overview


Period: November 2026 – January 2027

Issued on 06.11.2026 using data to the end of October 2026

SUMMARY: The outlook for November indicates that river flows are expected to be normal to below normal across much of Britain. Below normal flows are more common in eastern and southern England, while western Britain is more likely to experience flows within the normal range, although forecast availability is very limited in north-western Britain. Some locations in Northern Ireland may see above normal flows. The November to January outlook remains broadly similar.



1-month flow outlook



3-month flow outlook

Outlooks from hydrological analogues are based on a comparison of river flow during recent months with flows during the same months in previous years at a set of approximately 90 sites from across the UK. These sites are depicted on the two maps. Years with observed flows that most closely resemble current conditions are identified as the best analogues and the outlook is based on extrapolating from current conditions based on these analogues.

It is, however, often the case that a simpler forecast based on the persistence of river flow provides a better forecast than provided by analogy. This is particularly true for slowly responding catchments associated with aquifer outcrops.

Both methods are considered at each site and the forecast from the method with the higher confidence is presented. A simple classification of flows is used (high, medium and low) as indicated by the colours of the dots, with the confidence of the forecast being represented by the size of the dot. A tag on the dot indicates which method has been used in each instance.

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

Outlook based on hydrological persistence and analogy


Site-based: 1 month outlook


Period: November 2026


Issued on 06.11.2026 using data to the end of October 2026


These figures provide insight into the hydrological analogue methodology for a set of sites from across the UK.


In each of the time series graphs the bold black line represents the observed flow during the past six months. The grey band indicates the normal flow range (the normal band includes 44% of observed flows in each month). The selected analogues are shown as thin lines and the trajectories that flows took in the following month are also shown. The forecast is shown as the dashed red line, and in each plot it states whether this has come from the analogues or has been generated on the basis of persistence.




















The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

RIVER FLOW ANALOGY

November 2026

Outlook based on hydrological persistence and analogy


Site-based: 3 month outlook


Period: November 2026 – January 2027


Issued on 06.11.2026 using data to the end of October 2026


These figures provide insight into the hydrological analogue methodology for a set of sites from across the UK.


In each of the time series graphs the bold black line represents the observed flow during the past nine months. The grey band indicates the normal flow range (the normal band includes 44% of observed flows in each month). The selected analogues are shown as thin lines and the trajectories that flows took in the following three months are also shown. The forecast is shown as the dashed red line, and in each plot it states whether this has come from the analogues or has been generated on the basis of persistence.




















The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

RIVER FLOW ANALOGY

November 2026

UKCEH

British Geological Survey

Environment Agency

Outlook based on modelled flow from historical climate


Overview

Period: November 2026 – April 2027

Issued on 03.11.2026 using data to the end of October 2026


The outlook for November indicates that river flows are likely to remain below normal to low across southern and central England. Flows are likely to be normal to below normal for parts of eastern Britain. Elsewhere, flows are likely to be in the normal range. The November to January outlook indicates that flows are likely to be below normal across southern and central England and normal to below normal for parts of northeast England. Elsewhere, flows are likely to be in the normal range.

1-month river flow outlook starting Nov 2026




This outlook is based on monthly ensembles of historical sequences of observed climate (rainfall and potential evapotranspiration) that form input to a hydrological model. The outputs are probabilistic simulations of the average river flow over the forecast period (1 to 12 months ahead), at each location. The simulations are generated by the GR6J conceptual rainfall-runoff model from INRAE (France) calibrated on observed or naturalised flows.

3-month river flow outlook starting Nov 2026



The bar plot maps show the outlook distribution for 1, 3 and 6-month period for 64 catchments across England and Wales. Each bar plot represents the probabilistic distribution of the simulated river flow compared to the historical river flow, for the same n-month period. The probabilities fall within five categories, classified as: low, below normal, normal, above normal and high.

6-month river flow outlook starting Nov 2026



This outlook is based entirely on historical sequences and therefore does not contain any knowledge of the state of the atmosphere and ocean. It is hence possible that some of the historical sequences used might be inconsistent with current large-scale atmospheric conditions and would therefore be unlikely to occur in the next few months.

Please note that *Outlooks based on modelled flow from historical climate* from October 2023 onwards were generated using GR6J model, whereas until September 2023, they were produced using GR4J model. For more details, please see the section on River flow from historical climate at this link: https://hydoutuk.net/about/methods/river-flows

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

UKCEH

British Geological Survey

Environment Agency

Outlook based on modelled flow from historical climate

Overview



This outlook is based on monthly ensembles of historical sequences of observed climate (rainfall and potential evapotranspiration) that form input to a hydrological model. The outputs are probabilistic simulations of the average river flow over the forecast period (1 to 12 months ahead), at each location. The simulations are generated by the GR6J conceptual rainfall-runoff model from INRAE (France) calibrated on observed or naturalised flows.

The stack diagrams show the variation over time of the outlook distribution for a number of individual catchments. Each graph represents variation over time of the number of simulated river flows, in each month ensemble, that fall within each of seven categories: exceptionally low, notably low, below normal, normal, above normal, notably high and exceptionally high. The categories represent cumulative flow conditions, e.g. For 3-month, the simulated total 3-month flow compared to the historical 3-month flow distribution. The monthly variations can be compared to the long-term average distribution of river flows (shown as columns on the right of each timeline graph).

This outlook is based entirely on historical sequences and therefore does not contain any knowledge of the state of the atmosphere and ocean. It is hence possible that some of the historical sequences used might be inconsistent with current large-scale atmospheric conditions and would therefore be unlikely to occur in the next few months.

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

RIVER FLOW FROM HISTORICAL CLIMATE

November 2026

Outlook based on modelled flow using historical weather analogues

Period: November 2026 – January 2027


Issued on 03.11.2026 using data to the end of October 2026

The outlook for November indicates that river flows are likely to be normal to below normal across eastern and southeastern England with low flows likely to persist in some slow responding catchments. Flows in south Wales and southwestern England are likely to be normal to above normal. Elsewhere, flows are likely to be in the normal range. The November to December outlook indicates a shift towards above normal flows for southern Scotland, northern and southwestern England, and Wales. Flows are likely to be in the normal range for slow-responding catchments in southeast England.

The historical weather analogues method uses Met Office predictions of average weather 1 and 3 months ahead to provide inputs to a hydrological model. Like the ESP method, observed rainfall and temperature data from past years are used to drive the predictions, however, the analogue method constrains the selection of past rainfall using the weather conditions in the meteorological forecasts (which are summarised for this forecast in the Met Office likelihood of impacts blocks underneath the maps). For each member of the Met Office forecast ensemble, the 10 analogues that best match the predicted average weather pattern (surface pressure map) over the forecast period are selected. Precipitation and temperature sequences constructed from the selected analogue scenarios are corrected to account for historic trends and used as inputs to hydrological models. Here, the GR6J model is run using these inputs, creating an ensemble of hydrological forecasts.

The outputs shown in the maps are the likelihoods of different outcomes for the average river flow over the one-month and three-month forecast periods at each location. The outlooks maps show the distribution for 64 catchments across the United Kingdom. Each bar plot represents the likelihood of the simulated river flow compared to the historical river flow, for the same n-month period. The probabilities fall within five categories, classified as: low, below normal, normal, above normal and high. The expected climatological probability of ensemble members in each of these categories is shown under the legend.

1-month river flow outlook starting Nov 2026




Met Office 1-month likelihood of precipitation impact



© Crown copyright, Met Office

3-month river flow outlook starting Nov 2026



Met Office 3-month likelihood of precipitation impact




© Crown copyright, Met Office

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

Forecasts of river flows using Met Office rainfall forecasts


- These (yellow edged) pages summarise river flow forecasts produced by the UKCEH Water Balance Model.
- This model uses an ensemble of rainfall forecasts provided by the Met Office and a hydrological model to forecast river flows for the next one- and three-months ahead.
- A detailed description of these forecast products can be found on the final page, and a full technical description is given in the documentation available via the Hydrological Outlook website.
- Additional forecast products are available on the Hydrological Outlook Portal, via the website.


Probability of extreme river flows



- **Use these pages if you are interested in extreme conditions across multiple regions.**
- These pages summarise the risk of extremely high or low flows being observed across GB.
- The four pages show the risk for **Scotland** and for **England & Wales** over the next one and three months.
- The slides indicate the **probability of widespread extreme conditions** and which regions are most likely to experience extremely high or low flows.

Regional mean river flow distributions





- **Use these pages if you are interested in the ensemble distribution in a single region.**
- The first page shows the ensemble distribution as a histogram for each region.
- The second page shows the percentage of ensemble members in each band for each region.

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

RIVER FLOW FROM RAINFALL FORECASTS

November 2026

Probability of extreme river flows in **Scotland** over **November**

Issued on 04.11.26 using data to the end of October 2026


This page shows the **probability of extreme conditions in Scotland** over the next month. The bar chart indicates the likelihood of extremely high or low flows in a given number of regions. Maps show which regions are most likely to experience these flows as overall conditions get more extreme.

Summary

Scotland – one month

Extreme river flows are unlikely to be observed in Scotland across November. There is a small chance that high flows are observed in southern Scotland.


How likely are we to experience extremely low or high flows?



Probability of low and high flows in multiple regions simultaneously

1.6%

Which regions are most likely to experience extremely low or high flows?



The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

RIVER FLOW FROM RAINFALL FORECASTS

November 2026

Probability of extreme river flows in **Scotland** over **November to January**

Issued on 04.11.26 using data to the end of October 2026


This page shows the **probability of extreme conditions in Scotland** over the next three months. The bar chart indicates the likelihood of extremely high or low flows in a given number of regions. Maps show which regions are most likely to experience these flows as overall conditions get more extreme.

Summary

Scotland – three months

Extreme river flows are unlikely to be observed in Scotland across the period from November to January. There is a small chance that high flows are observed in southeastern regions.


How likely are we to experience extremely low or high flows?



Probability of low and high flows in multiple regions simultaneously

0.2%

Which regions are most likely to experience extremely low or high flows?



The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

RIVER FLOW FROM RAINFALL FORECASTS

November 2026

Probability of extreme river flows in **England and Wales** over **November**

Issued on 04.11.26 using data to the end of October 2026

RIVER FLOW FROM RAINFALL FORECASTS

November 2026


This page shows the **probability of extreme conditions in England and Wales** over the next month. The bar chart indicates the likelihood of extremely high or low flows in a given number of regions. Maps show which regions are most likely to experience these flows as overall conditions get more extreme.

Summary

England and Wales – one month

Extreme river flows are unlikely to be observed in England and Wales across November. There is a small chance that high flows are observed in northwest England.


How likely are we to experience extremely low or high flows?



Probability of low and high flows in multiple regions simultaneously

1.6%

Which regions are most likely to experience extremely low or high flows?



P(N low reg.)	5.5%	4.5%	1.8%	2.0%	2.3%	1.6%	1.4%	0.9%	1.8%	1.1%
P(N high reg.)	10.9%	7.3%	4.3%	2.7%	2.3%	2.0%	0.9%	0.7%	1.1%	0.2%

P(Normal flows) 43.0%

P(High and low flows simultaneously) 1.6%

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

Probability of extreme river flows in **England and Wales** over **November to January**

Issued on 04.11.26 using data to the end of October 2026

RIVER FLOW FROM RAINFALL FORECASTS

November 2026


This page shows the **probability of extreme conditions in England and Wales** over the next three months. The bar chart indicates the likelihood of extremely high or low flows in a given number of regions. Maps show which regions are most likely to experience these flows as overall conditions get more extreme.

Summary

England and Wales – three months

Extreme river flows are unlikely to be observed in England and Wales across the period from November to January. There is a small chance that high flows are observed in northern regions.


How likely are we to experience extremely low or high flows?



Probability of low and high flows in multiple regions simultaneously

0.2%

Which regions are most likely to experience extremely low or high flows?



P(N low reg.)	1.9%	1.0%	0.2%	1.2%	0.2%	0.2%	1.0%	0.0%	0.2%	0.0%
P(N high reg.)	13.3%	7.9%	5.7%	3.8%	3.8%	2.4%	1.9%	2.1%	1.4%	1.7%

P(Normal flows) 49.8%

P(High and low flows simultaneously) 0.2%

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

Histograms of GB regional mean river flow distributions

Period: November 2026 - January 2027


Issue date: 04.11.2026

- This page shows **the ensemble flow distribution for each region** over the next 1- and 3-month periods.
- The 1km flow forecasts are averaged within each region, then categorised according to the historical flows.
- The histogram in each region indicates the proportion of ensemble members in each flow category.


SUMMARY: Over the next month, river flows in southern Scotland, northern England and Wales are likely to be in the *normal range* to *above normal.* Flows in the Anglian and Thames regions are likely to be in the *normal range* to *below normal.*

Over the next three months, flows in much of England, Wales and northwest Scotland are likely to be in the *normal range*, while those in northern England and southern and eastern Scotland may be in the *normal range* to *notably high.*

1-month



3-month



SCOTLAND


HR	Highlands Region
NER	North East Region
TR	Tay Region
FR	Forth Region
CR	Clyde Region
TWR	Tweed Region
SR	Solway Region

ENGLAND

N	Northumbria
NW	North West
Y	Yorkshire
ST	Severn Trent
A	Anglian
T	Thames
S	Southern
W	Wessex
SW	South West


WALES

WEL	Welsh



Flow estimate for each river pixel ranked in terms of historic % flow estimates (1963-2016)

Exceptionally high flow	> 95
Notably high flow	87-95
Above normal	72-87
Normal range	28-72
Below normal	13-28
Notably low flow	5-13
Exceptionally low flow	< 5




The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

RIVER FLOW FROM RAINFALL FORECASTS

November 2026

Tables of GB regional mean river flow distributions

Period: November 2026 - January 2027 Issue date: 04.11.2026



- This page shows **the ensemble flow distribution for each region** over the next 1- and 3-month periods.
- The 1km flow forecasts are averaged within each region, then categorised according to the historical flows.
- The table indicates the percentage of ensemble members in each flow category.

SUMMARY: Over the next month, river flows in southern Scotland, northern England and Wales are likely to be in the *normal range* to *above normal.* Flows in the Anglian and Thames regions are likely to be in the *normal range* to *below normal.*

Over the next three months, flows in much of England, Wales and northwest Scotland are likely to be in the *normal range*, while those in northern England and southern and eastern Scotland may be in the *normal range* to *notably high.*

1-month ahead	A	NW	N	ST	SW	S	T	WEL	W	Y	CR	FR	HR	NER	SR	TR	TWR
Exceptionally high flow	1	7	2	1	2	3	2	4	0	1	6	6	9	1	7	6	2
Notably high	4	11	14	8	8	7	4	4	9	6	11	16	4	16	17	12	13
Above normal	7	13	23	26	29	21	14	28	18	24	21	14	9	18	18	31	26
Normal range	60	53	50	36	42	48	48	41	52	50	47	59	51	51	49	43	54
Below normal	16	7	6	21	10	12	18	9	13	10	6	2	17	9	6	5	2
Notably low	11	7	5	6	7	4	13	4	4	6	7	1	7	6	1	1	3
Exceptionally low flow	1	2	0	1	4	4	2	9	3	3	3	2	2	1	2	2	0


3-month ahead	A	NW	N	ST	SW	S	T	WEL	W	Y	CR	FR	HR	NER	SR	TR	TWR
Exceptionally high flow	1	3	6	4	1	3	1	6	0	2	8	16	3	3	11	8	20
Notably high	9	12	22	9	14	19	8	5	15	13	8	11	7	19	10	15	21
Above normal	13	21	24	6	26	15	9	18	21	16	17	18	16	20	32	20	13
Normal range	72	54	41	76	51	56	66	64	50	61	52	48	51	54	40	50	42
Below normal	5	9	6	4	6	6	11	4	9	4	12	6	19	2	6	6	3
Notably low	0	0	0	1	1	1	4	2	1	3	3	1	3	2	0	2	1
Exceptionally low flow	0	1	0	0	2	0	0	1	2	0	1	0	0	0	1	1	0

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

Forecasts of river flows using Met Office rainfall forecasts

- The data on these (yellow-bordered) pages are based on approximately 400 rainfall scenarios provided by the Met Office, which are used as inputs to a water balance hydrological model.
- River flow forecasts for every 1km grid cell are ranked according to the historical flow estimates and aggregated within each region.
- A full description of this method and these summary products is given in the technical documentation available via the Hydrological Outlook website.

Probability of extreme river flows




Extreme river flows are defined as those which rank in the lowest or highest 13% of historical flow estimates (1963 - 2016). This definition encompasses the 'Notably' and 'Exceptionally' high/low flow bands used elsewhere in the Outlook.


The bar chart shows the probability of a given number of regions experiencing extremely high/low flows, where scenarios showing both extremely high and extremely low flows in different regions simultaneously excluded. These probabilities are also shown beneath the maps.

Shaded regions on each map are those most likely to experience extreme flows from the set of scenarios with at least a given number of regions experiencing such flows. If shown, grey maps indicate scenarios not observed in the ensemble.

The box drawn around some maps spans the central 50% probability interval, excluding scenarios where extremely high/low flows are observed simultaneously. If these excluded cases constitute a significant probability, details are given in the yellow summary box.

Regional mean river flow distributions





The maps illustrate the ensemble distribution of regional mean river flows. The historical distribution is shown at bottom-left, and allows deviations from the normal distribution to be determined by comparing the forecast distribution to the historical distribution. A summary is given in the yellow box.

The table gives access to the data shown in the histograms. The numbers in the tables are the percentage of ensemble forecasts falling in each of the flow categories. As before results are averaged by region then ranked in terms of 54 years of historical regional flow estimates (1963 – 2016).

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

British Geological Survey

Outlook based on modelled groundwater level & climate forecast


Overview

Period: November 2026 – January 2027

Issued on 05.11.2026 using data to the end of October


Under median rainfall conditions, groundwater levels over the next month are forecast to be normal to below normal across much of Great Britain, with notably low to exceptionally low levels persisting in parts of southern England and East Anglia. Most forecast sites are expected to fall within below-normal groundwater categories. Over the following three months, groundwater levels are generally expected to recover towards the normal range. Several sites in southern England, forecast to be exceptionally low or notably low in the 1-month outlook, are expected to return to normal groundwater conditions under median rainfall. Nevertheless, below-normal groundwater levels are likely to persist at some sites in southern and eastern England, with notably low conditions continuing in parts of East Anglia.

Lowest rainfall forecast | *1st quartile* | *Median* | *3rd quartile* | *Highest rainfall forecast*



1-month outlook

Lowest rainfall forecast | *1st quartile* | *Median* | *3rd quartile* | *Highest rainfall forecast*




3-month outlook

These forecasts are produced by running five members of the Met Office ensemble climate forecast through groundwater models of observation borehole hydrographs at 42 sites across the country. The sites are distributed across the principal aquifers.

Based on the distribution of observed historical groundwater levels in a given month, seven categories have been derived for each site: very low, low, below normal, normal, above normal, high, and very high. The forecast groundwater level is assigned to one of these seven categories depending on where it falls within the distribution of the historically observed values.

Key	Percentile range of historic observed values for relevant month
Exceptionally high levels	> 95
Notably high levels	87-95
Above normal	72-87
Normal	28-72
Below normal	12-28
Notably low levels	5-13
Exceptionally low levels	< 5



The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net

GROUNDWATER FROM CLIMATE FORECASTS

November 2026

UK Centre for Ecology & Hydrology

British Geological Survey


Environment Agency

Outlook based on modelled groundwater from historical climate

Period: November 2026 – October 2027

Issued on 05.10.2026 using data to the end of October

Groundwater levels in the Chalk at Rockley and Little Bucket Farm, the Permo Triassic sandstone at Bussels No. 7A, and the Jurassic Limestone at New Red Lion, are projected to remain normal to below normal for the next four months before gradually recovering towards more normal conditions in around six months time. In contrast, groundwater levels in the Chalk at Dalton Holme are forecast to remain below normal to exceptionally low for much of the coming year, with little likelihood of above normal conditions occurring. In the Permo Triassic sandstone at Skirwith, levels are expected to remain below normal to exceptionally low across the forecast period, with limited probability of normal conditions returning within 12 months.



This outlook is based on monthly ensembles of historical sequences of observed climate (rainfall and potential evpotranspiration) that form input to hydrological models. The outputs are probabilistic simulations of the average groundwater level over the forecast horizon (3 to 12 months ahead), at each location.

The graphs show variation over time of the number of simulated groundwater levels in each monthly ensemble, that fall within each the seven categories: exceptionally low, notably low, below normal, normal, above normal, notably high and exceptionally high. The monthly variations can be compared to the long-term average distribution of levels, which are shown as columns on the left and right of each graph.

This outlook is based entirely on historical sequences and therefore does not contain any knowledge of the state of the atmosphere and ocean. It is hence possible that some of the historical sequences used might be inconsistent with current large-scale atmospheric conditions and would therefore be unlikely to occur in the next few months.

The Hydrological Outlook UK provides an outlook for the water situation for the UK over the next three months and beyond. For guidance on how to interpret the outlook, a wider range of information, and a full description of underpinning methods, please visit the website: www.hydoutuk.net